Supplied by Chicago Glue & Machine (800) 419-4583



Print Date 01/16/2017 Page **1** of **9**

SAFETY DATA SHEET

H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® FE-7017-B

Product code : 100000002574

Manufacturer or supplier's details

Company : H.B. Fuller Company

Address : 1200 Willow Lake Boulevard

Vadnais Heights, MN 55110

Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy curing agent

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Color	tan	
Odor	ammoniacal	

GHS Classification

Skin corrosion : Category 1B
Serious eye damage : Category 1
Skin sensitization : Category 1
Reproductive toxicity : Category 2

GHS Label element

Hazard pictograms :





Hazard Statements:

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H361 Suspected of damaging fertility or the unborn child. **Precautionary Statements:**

Prevention: P201 + P202 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P272 Contaminated work clothing should not be allowed out of the



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

workplace.

Response: P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P363 Wash contaminated clothing before reuse. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC Known to be human carcinogen. During normal handling of the

product, this substance is encapsulated within the product and

will not present a cancer exposure risk.

Ouartz (SiO2) 14808-60-7

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Known to be human carcinogen. During normal handling of the

product, this substance is encapsulated within the product and

will not present a cancer exposure risk.

Quartz (SiO2) 14808-60-7

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]	
Polyamide resin	68410-23-1	30 - 50	
triethylenetetramine	112-24-3	5 - 10	
Formaldehyde, polymer with 1,3-dimethylbenzene	26139-75-3	1 - 5	
2,2'-iminodi(ethylamine)	111-40-0	1 - 5	
Phenol, 4-nonyl-, branched	84852-15-3	0.1 - 1	
Quartz (SiO2)	14808-60-7	0.1 - 1	

SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air.

If not breathing, give artificial respiration.



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

Keep patient warm and at rest.

Consult a physician after significant exposure.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Wash contaminated clothing before re-use.

In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at

least 15 minutes. Get medical attention.

Protect unharmed eye.

If swallowed, call a poison control center or doctor

immediately.

Do NOT induce vomiting.

If victim is fully conscious, give a cupful of water.

If possible drink milk afterwards.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific extinguishing

methods

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

: Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.
 Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Wear personal protective equipment.

Do not get on skin or clothing.



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

Use only in an area equipped with a safety shower.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	OSHA P0
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m3	OSHA P0

[.] During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : butyl-rubber

Eye protection : Safety goggles

Face-shield

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : Long sleeved clothing



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

Chemical resistant apron

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid Color : tan

Odor : ammoniacal
Odor Threshold : No data available
pH : Not applicable
Melting point/freezing point : not determined
Boiling point/boiling range : not determined
Flash point : Not applicable
Evaporation rate : not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : upper flammability limit

not determined

Lower explosion limit : lower flammability limit

not determined

Vapor pressure : not determined

Density : 10.30 - 10.50 lb/gal

Solubility(ies)

Water solubility : not determined
Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : not determined

Viscosity

Viscosity, dynamic : not determined Viscosity, kinematic : not determined

Solid Content, % by weight: : 100

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Hazardous decomposition

products

: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : 2,124 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Ingredients:

triethylenetetramine:

Acute oral toxicity : LD50 Oral rat: 2,500 mg/kg

2,2'-iminodi(ethylamine):

Acute oral toxicity : LD50 Oral rat: 819 mg/kg

Phenol, 4-nonyl-, branched:

Acute oral toxicity : LD50 Oral rat: 580 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: 2,031 mg/kg

Quartz (SiO2):

Acute oral toxicity : LD50 Oral rat: 500 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity



H.B. Fuller® FE-7017-B

Version 1.2 Revision Date 12/31/2015

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

triethylenetetramine:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 31.1 mg/l

Exposure time: 48 h Test Method: static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 2.5 mg/l

Exposure time: 72 h

Test Type: flow-through test

2,2'-iminodi(ethylamine):

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 16 mg/l

Exposure time: 48 h
Test Method: static test

Phenol, 4-nonyl-, branched:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.135 mg/l

Exposure time: 96 h

Test Method: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.14 mg/l

Exposure time: 48 h
Test Method: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata): 0.16 - 0.72 mg/l

Exposure time: 72 h Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the



H.B. Fuller® FE-7017-B

Version 1.2

Revision Date 12/31/2015

definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks : Not dangerous goods

Domestic regulation

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Chronic Health Hazard

Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313: This product does not contain any chemical components

that exceed the reporting threshold.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US State Regulations

California Prop 65 WARNING! This product contains a chemical known in the State of

California to cause cancer.

Quartz (SiO2) 14808-60-7

The ingredients of this product are reported in the following inventories:




H.B. Fuller® FE-7017-B				
Version 1.2	Revision Date 12/31/2015			
TSCA DSL REACH AICS NZIOC ENCS KECI PICCS	On TSCA Inventory All components of this product are on the Canadian DSL. Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory			
IECSC TWINV Inventories Legend	On the inventory, or in compliance with the inventory Not in compliance with the inventory ITSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC CS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV			

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



Special hazard.

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.