


**H.B. Fuller**
**SAFETY DATA SHEET**
**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : H.B. Fuller® WC-2309  
 Product code : 100000002909

**Manufacturer or supplier's details**

Company : H.B. Fuller Company  
 Address : 1200 Willow Lake Boulevard  
 Vadnais Heights, MN 55110  
 Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Epoxy resin  
 Restrictions on use : For industrial use only.

**SECTION 2. HAZARDS IDENTIFICATION**
**Emergency Overview**

Appearance	Pasty solid
Color	black
Odor	characteristic

**GHS Classification**

Skin irritation : Category 2  
 Eye irritation : Category 2A  
 Skin sensitization : Category 1

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

**Hazard Statements:**

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

**Precautionary Statements:**
**Prevention:** P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

**Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

**Carcinogenicity:**

**IARC**

Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

**OSHA**

Quartz (SiO<sub>2</sub>) 14808-60-7  
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

Quartz (SiO<sub>2</sub>) 14808-60-7

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration [%]
Epoxy resin	25068-38-6	30 - 50
Epoxy resin	25085-99-8	30 - 50
Epoxy resin	26142-30-3	10 - 20
calcium oxide	1305-78-8	1 - 5
Mica	12001-26-2	1 - 5
Quartz (SiO <sub>2</sub> )	14808-60-7	0.1 - 1

**SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.  
Get medical attention immediately if irritation develops and persists.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Do NOT induce vomiting.  
If victim is fully conscious, give a cupful of water.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific extinguishing methods :  
Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Shovel into suitable container for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Not applicable
- Advice on safe handling : No special precautions required.
- Conditions for safe storage : Keep in a dry, cool place.
- Materials to avoid : No special restrictions on storage with other products.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**



**SAFETY DATA SHEET**

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium oxide	1305-78-8	TWA	2 mg/m3	ACGIH
			5 mg/m3	OSHA Z-1
			5 mg/m3	OSHA P0
Mica	12001-26-2	TWA (Respirable fraction)	3 mg/m3	ACGIH
			20 Million particles per cubic foot	OSHA Z-3
			3 mg/m3	OSHA P0
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0.025 mg/m3	ACGIH
			30 mg/m3 / %SiO2+2	OSHA Z-3
			10 mg/m3 / %SiO2+2	OSHA Z-3
			250 mppcf / %SiO2+5	OSHA Z-3
			0.1 mg/m3	OSHA P0

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Material : Nitrile rubber

Eye protection : Safety glasses

Skin and body protection : Remove and wash contaminated clothing before re-use.

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Pasty solid



## SAFETY DATA SHEET

### H.B. Fuller® WC-2309

Version 0.1

Revision Date 05/29/2015

Color	: black
Odor	: characteristic
Odor Threshold	: No data available
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Evaporation rate	: not determined
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: upper flammability limit not determined
Lower explosion limit	: lower flammability limit not determined
Density	: 10.800 - 11.800 lb/gal
Solubility(ies)	
Water solubility	: not determined
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: not determined
Viscosity	
Viscosity, kinematic	: not determined
Solid Content, % by weight:	: 100

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Conditions to avoid	: Not applicable
Hazardous decomposition products	: Stable under normal conditions.

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

###### Product:

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
---------------------	---

###### Ingredients:

###### **calcium oxide:**

Acute oral toxicity	: LD50 Oral rat: 500 mg/kg
---------------------	----------------------------

###### **Quartz (SiO<sub>2</sub>):**

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

Acute oral toxicity : LD50 Oral rat: 500 mg/kg

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT-single exposure**

No data available

**STOT-repeated exposure**

No data available

**Aspiration toxicity**

No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Ingredients:**

**calcium oxide :**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 1,070 mg/l  
Exposure time: 96 h  
Test Method: static test

**Persistence and degradability**

No data available

**Bioaccumulative potential**

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

**SECTION 14. TRANSPORT INFORMATION**
**Special precautions for user**

Not applicable

**Domestic regulation**
**49 CFR**

UN/ID/NA number : 3088  
 Proper shipping name : Self-heating solid, organic, n.o.s.  
 ()  
 Class : 4.2  
 Packing group : III  
 Labels : 4.2  
 ERG Code : 135  
 Marine pollutant : no

**International Regulation**
**IATA-DGR**

UN/ID No. : 3088  
 Proper shipping name : Self-heating solid, organic, n.o.s.  
 ()  
 Class : 4.2  
 Packing group : III  
 Labels : 4.2  
 Packing instruction (cargo aircraft) : 471  
 Packing instruction (passenger aircraft) : 469

**IMDG-Code**

UN number : 3088  
 Proper shipping name : SELF-HEATING SOLID, ORGANIC, N.O.S.  
 Class : 4.2  
 Packing group : III



**SAFETY DATA SHEET**

**H.B. Fuller® WC-2309**

Version 0.1

Revision Date 05/29/2015

Labels : 4.2  
EmS Code : F-A, S-J  
Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This product does not contain any chemical components that exceed the reporting threshold.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

**US State Regulations**

**California Prop 65** WARNING! This product contains a chemical known in the State of California to cause cancer.

Quartz (SiO2) 14808-60-7

**The ingredients of this product are reported in the following inventories:**

**TSCA** On TSCA Inventory  
**DSL** This product contains one or several components that are not on the Canadian DSL nor NDSL.  
**REACH** Not in compliance with the inventory  
**AICS** Not in compliance with the inventory  
**NZIoC** Not in compliance with the inventory  
**ENCS** Not in compliance with the inventory  
**KECI** Not in compliance with the inventory  
**PICCS** On the inventory, or in compliance with the inventory  
**IECSC** On the inventory, or in compliance with the inventory  
**TWINV** Not in compliance with the inventory

**Inventories Legend**TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)



**H.B. Fuller® WC-2309**

Version 0.1


Revision Date 05/29/2015

**SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

**Further information**

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>1</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.