

FPC 925
Hot Melt

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name Hot Melt Product Code FPC 925

Product(s) Covered

FPC 925, H-19R10, H-810R PELT/TOTE/1000L/1PP

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use No information available.

Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name FPC CORPORATION 355 HOLLOW HILL DR WAUCONDA IL 60084 Phone: (847) 887-4583

Fax: (847) 487-0174

ax. (617) 167 617 1

## **SECTION 2: Hazards Identification**

#### 2.1. Classification of the Substance or Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

### 2.2. Label Elements

#### **EMERGENCY OVERVIEW**

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Solid Odor No information available

**Precautionary Statements - Prevention** 

Not Applicable

FPC 925
Hot Melt

Revision Date 20-Apr-2015

Version 1.03

**Precautionary Statements - Response** 

Not Applicable

**Precautionary Statements - Storage** 

Not Applicable

**Precautionary Statements - Disposal** 

Not Applicable

**Hazards Not Otherwise Classified (HNOC)** 

Not Applicable

**Unknown Toxicity** 

66.85% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available

# SECTION 3: Composition/Information on Ingredients

#### 3.1 Substances

Not Applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1 - 5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### **SECTION 4: First Aid Measures**

# 4.1. Description of First Aid Measures

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

**Inhalation** Remove to fresh air.

**Ingestion** Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 11: Toxicological Information

# **SECTION 5: Fire Fighting Measures**

FPC 925 Hot Melt

Version 1.03

5.1. Extinguishing Media

### **Suitable Extinguishing Media**

In case of fire: Use CO2, dry chemical, or foam to extinguish.

### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special Hazards Arising from the Substance or Mixture

# **Specific Hazards Arising from the Chemical**

Should a spark occur near flammable vapors or airborne dust mixtures, an explosion could occur resulting in injury or death. This product may retain a static electrical charge, which could produce a spark.

**Hazardous Combustion** 

Carbon monoxide. Carbon dioxide (CO2).

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

#### 5.3. Advice for Firefighters

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental Precautions

**Environmental Precautions** Keep out of drains, sewers, ditches and waterways.

### 6.3. Methods and Material for Containment and Cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Solid:. Use personal protection equipment. Cover with plastic sheet to prevent spreading. Avoid creating dust. Molten. Where possible allow molten material to solidify naturally. Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated surface thoroughly.

#### 6.4. References to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 7: Handling and Storage SECTION 13: Disposal Considerations

## SECTION 7: Handling and Storage

## 7.1. Precautions for Safe Handling

FPC 925 Hot Melt

Version 1.03

Advice on Safe Handling

Avoid contact with skin, eyes or clothing. Avoid contact with eyes and skin. Use adequate

ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. Wash

with plenty of water and soap.

### 7.2. Conditions for Safe Storage, including any Incompatibilities

**Storage Conditions** Store away from incompatible materials.

**Incompatible Materials** Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific End Use(s)

Other Information Since empty containers retain product residue, follow label warnings even after container is

emptied. Keep product and empty container away from heat and sources of ignition. Do not

reuse container.

7.4. References to Other Sections

Reference to Other Sections SECTION 13: Disposal Considerations

SECTION 10: Stability and Reactivity

## SECTION 8: Exposure Controls/Personal Protection

#### 8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Paraffin waxes and	TWA: 2 mg/m³ fume	TWA: 2 mg/m <sup>3</sup> fume	-	TWA: 2 mg/m <sup>3</sup>
Hydrocarbon waxes				STEL: 6 mg/m <sup>3</sup>
8002-74-2				_

Chemical Name	Argentina	Brazil	Chile	Venezuela
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.6 mg/m³	TWA: 2 mg/m <sup>3</sup>

### 8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Eye/Face Protection** Solid: Wear safety glasses with side shields (or goggles). Molten. Wear chemical splash

goggles and face shield when eye and face contact is possible due to splashing or spraying

of material.

**Skin and Body Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Facilities for quickly drenching the body should be provided within the immediate work area

for emergency use where there is a possibility of exposure.

FPC 925 Hot Melt

Version 1.03

## **SECTION 9: Physical and Chemical Properties**

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid Color White

Odor No information available Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH No information available

Melting Point/Freezing Point No information available

Boiling Point No information available

Flash Point > 204.4 °C / > 399.9 °F

Evaporation Rate No information available

Flammability (solid, gas) No information available

Flammability Limits in Air

**Upper Flammability Limits** No information available No information available **Lower Flammability Limit Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** No information available No information available Water Solubility No information available Solubility in Other Solvents **Partition Coefficient** No information available **Autoignition Temperature** No information available No information available **Decomposition Temperature Kinematic Viscosity** No information available No information available **Dynamic Viscosity** No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other Information

Softening PointNo information availableMolecular WeightNo information availableSolvent Content (%)No information available

Solid Content (%) 100

**Density** .960 g/cm<sup>3</sup>

**VOC** No information available

# SECTION 10: Stability and Reactivity

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges. **10.5. Incompatible Materials** 

FPC 925 Hot Melt

Version 1.03

Incompatible with oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

Product InformationNo data availableInhalationNo data availableEye ContactNo data availableSkin ContactNo data availableIngestionNo data available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
waxes			
8002-74-2			

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. Irritation No information available. No information available. Corrosivity Sensitization No information available. No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity Developmental Toxicity** No information available. **Teratogenicity** No information available. STOT - Single Exposure No information available. **STOT - Repeated Exposure** No information available. **Chronic Toxicity** No information available. **Target Organ Effects** Eves. Respiratory system. Skin. **Aspiration Hazard** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

No information available

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

FPC 925 Hot Melt

Version 1.03

## 12.4. Mobility in Soil

No information available.

### 12.5 Other adverse effects

No information available

# **SECTION 13: Disposal Considerations**

### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

# **SECTION 14: Transport Information**

**DOT** Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

# **SECTION 15: Regulatory Information**

## **Global Inventories**

TSCA	Listed
DSL	Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

## <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR

### **WHMIS Hazard Class**

Non-controlled

### **United States of America**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# **California Proposition 65**

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

FPC 925
Hot Melt
Revision Date 20-Apr-2015

Version 1.03

## **Europe**

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain a substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

# **SECTION 16: Other Information**

Health Hazards 1 Flammability 1 Physical Hazards 0 Personal Protection X

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 20-Apr-2015

Revision Note Not Applicable.

Training Advice No information available

Further Information No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**